

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151  
CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

C7051 -04

CYCLOHEXANONE

PAGE: 1

EFFECTIVE: 01/04/94

ISSUED: 01/15/94

J.T.BAKER INC., 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865

=====

SECTION I - PRODUCT IDENTIFICATION

=====

PRODUCT NAME: CYCLOHEXANONE  
COMMON SYNONYMS: CYCLOHEXYL KETONE; KETOHEXAMETHYLENE; PIMELIC KETONE  
CHEMICAL FAMILY: KETONES  
FORMULA: C<sub>6</sub>H<sub>10</sub>O  
FORMULA WT.: 98.15  
CAS NO.: 108-94-1  
NIOSH/RTECS NO.: GW1050000  
PRODUCT USE: LABORATORY REAGENT  
PRODUCT CODES: G032,5386,9210,9209

=====

PRECAUTIONARY LABELING

=====

BAKER SAF-T-DATA\* SYSTEM

HEALTH	-	2	MODERATE
FLAMMABILITY	-	2	MODERATE
REACTIVITY	-	1	SLIGHT
CONTACT	-	2	MODERATE

LABORATORY PROTECTIVE EQUIPMENT

GOGGLES; LAB COAT; VENT HOOD; PROPER GLOVES; CLASS B EXTINGUISHER

U.S. PRECAUTIONARY LABELING

WARNING

COMBUSTIBLE. CAUSES IRRITATION.  
KEEP AWAY FROM HEAT, SPARKS, FLAME. AVOID CONTACT WITH EYES, SKIN, CLOTHING.  
KEEP IN TIGHTLY CLOSED CONTAINER. WASH THOROUGHLY AFTER HANDLING. IN CASE OF  
FIRE, USE WATER SPRAY, ALCOHOL FOAM, DRY CHEMICAL, OR CARBON DIOXIDE. FLUSH  
SPILL AREA WITH WATER SPRAY.

INTERNATIONAL LABELING

FLAMMABLE. HARMFUL BY INHALATION.  
AVOID CONTACT WITH EYES.

S-T-DATA\* STORAGE COLOR CODE: RED (FLAMMABLE)

CONTINUED ON PAGE: 2

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151  
CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

C7051 -04

CYCLOHEXANONE

PAGE: 2

EFFECTIVE: 01/04/94

ISSUED: 01/15/94

=====

SECTION II - COMPONENTS

=====

<u>COMPONENT</u>	<u>CAS NO.</u>	<u>WEIGHT %</u>	<u>OSHA/PEL</u>	<u>ACGIH/TLV</u>
CYCLOHEXANONE	108-94-1	99-100	25 PPM	25 PPM

=====

SECTION III - PHYSICAL DATA

=====

BOILING POINT: 156 C (312 F)  
(AT 760 MM HG)

VAPOR PRESSURE (MMHG): 2  
(20 C)

MELTING POINT: -32 C (-25 F)  
(AT 760 MM HG)

VAPOR DENSITY (AIR=1): 3.4

SPECIFIC GRAVITY: 0.95  
(H2O=1)

EVAPORATION RATE: 0.23  
(BUTYL ACETATE = 1)

SOLUBILITY(H2O): APPRECIABLE (>10%)

% VOLATILES BY VOLUME: 100  
(21 C)

PH: N/A

ODOR THRESHOLD (P.P.M.): N/A

PHYSICAL STATE: LIQUID

COEFFICIENT WATER/OIL DISTRIBUTION: N/A

APPEARANCE & ODOR: CLEAR, LIGHT YELLOW LIQUID. ACETIC ACID ODOR.

=====

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

=====

FLASH POINT (CLOSED CUP): 43 C (111 F)

NFPA 704M RATING: 1-2-0

AUTOIGNITION TEMPERATURE: 419 C (788 F)

FLAMMABLE LIMITS: UPPER - 9.4 % LOWER - 1.1 %

FIRE EXTINGUISHING MEDIA

USE WATER SPRAY, ALCOHOL FOAM, DRY CHEMICAL OR CARBON DIOXIDE.

SPECIAL FIRE-FIGHTING PROCEDURES

FIREFIGHTERS SHOULD WEAR PROPER PROTECTIVE EQUIPMENT AND SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN POSITIVE PRESSURE MODE. MOVE CONTAINERS FROM FIRE AREA IF IT CAN BE DONE WITHOUT RISK. USE WATER TO KEEP FIRE-EXPOSED CONTAINERS COOL.

CONTINUED ON PAGE: 3

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151  
CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

C7051 -04  
EFFECTIVE: 01/04/94

CYCLOHEXANONE

PAGE: 3  
ISSUED: 01/15/94

=====

SECTION IV - FIRE AND EXPLOSION HAZARD DATA (CONTINUED)

=====

UNUSUAL FIRE & EXPLOSION HAZARDS

VAPORS MAY FLOW ALONG SURFACES TO DISTANT IGNITION SOURCES AND FLASH BACK.  
CLOSED CONTAINERS EXPOSED TO HEAT MAY EXPLODE. CONTACT WITH STRONG  
OXIDIZERS MAY CAUSE FIRE.

TOXIC GASES PRODUCED

CARBON MONOXIDE, CARBON DIOXIDE

EXPLOSION DATA-SENSITIVITY TO MECHANICAL IMPACT

NONE IDENTIFIED.

EXPLOSION DATA-SENSITIVITY TO STATIC DISCHARGE

NONE IDENTIFIED.

=====

SECTION V - HEALTH HAZARD DATA

=====

THRESHOLD LIMIT VALUE (TLV/TWA): 100 MG/M (25 PPM)

THE TLV LISTED DENOTES TLV (SKIN).

SHORT-TERM EXPOSURE LIMIT (STEL): NOT ESTABLISHED

PERMISSIBLE EXPOSURE LIMIT (PEL): 100 MG/M (25 PPM)

THE PEL LISTED DENOTES PEL (SKIN).

TOXICITY OF COMPONENTS

ORAL RAT LD50 FOR CYCLOHEXANONE	1620 MG/KG
INTRAPERITONEAL MOUSE LD50 FOR CYCLOHEXANONE	1350 MG/KG
SKIN RABBIT LD50 FOR CYCLOHEXANONE	1000 MG/KG
CARCINOGENICITY: NTP: NO IARC: NO Z LIST: NO OSHA REG: NO	

CARCINOGENICITY

NONE IDENTIFIED.

REPRODUCTIVE EFFECTS

NONE IDENTIFIED.

CONTINUED ON PAGE: 4

C7051 -04  
EFFECTIVE: 01/04/94

CYCLOHEXANONE

PAGE: 4  
ISSUED: 01/15/94

=====

SECTION V - HEALTH HAZARD DATA (CONTINUED)

=====

EFFECTS OF OVEREXPOSURE

INHALATION: MAY CAUSE NARCOSIS

SKIN CONTACT: DERMATITIS

EYE CONTACT: NONE IDENTIFIED

SKIN ABSORPTION: NONE IDENTIFIED

INGESTION: NONE IDENTIFIED

CHRONIC EFFECTS: NONE IDENTIFIED

TARGET ORGANS

RESPIRATORY SYSTEM, EYES, SKIN, CENTRAL NERVOUS SYSTEM

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

NONE IDENTIFIED

PRIMARY ROUTES OF ENTRY

INHALATION, INGESTION, EYE CONTACT, SKIN CONTACT

EMERGENCY AND FIRST AID PROCEDURES

INGESTION: CALL A PHYSICIAN. IF SWALLOWED, DO NOT INDUCE VOMITING.

INHALATION: IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.

SKIN CONTACT: IN CASE OF CONTACT, FLUSH SKIN WITH WATER.

EYE CONTACT: IN CASE OF EYE CONTACT, IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES.

SARA/TITLE III HAZARD CATEGORIES AND LISTS

ACUTE: YES CHRONIC: YES FLAMMABILITY: YES PRESSURE: NO REACTIVITY: NO

EXTREMELY HAZARDOUS SUBSTANCE: NO

CERCLA HAZARDOUS SUBSTANCE: YES CONTAINS CYCLOHEXANONE (RQ = 5000 LBS)



J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865

M A T E R I A L   S A F E T Y   D A T A   S H E E T

24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151

CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

C7051 -04

CYCLOHEXANONE

PAGE: 5

EFFECTIVE: 01/04/94

ISSUED: 01/15/94

=====

SECTION V - HEALTH HAZARD DATA (CONTINUED)

=====

SARA 313 TOXIC CHEMICALS:

NO

TSCA INVENTORY:

YES

=====

SECTION VI - REACTIVITY DATA

=====

STABILITY: STABLE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

CONDITIONS TO AVOID: HEAT, FLAME, OTHER SOURCES OF IGNITION

INCOMPATIBLES: STRONG OXIDIZING AGENTS

DECOMPOSITION PRODUCTS: CARBON MONOXIDE, CARBON DIOXIDE

=====

SECTION VII - SPILL & DISPOSAL PROCEDURES

=====

STEPS TO BE TAKEN IN THE EVENT OF A SPILL OR DISCHARGE

WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING. SHUT OFF IGNITION SOURCES; NO FLARES, SMOKING OR FLAMES IN AREA. STOP LEAK IF YOU CAN DO SO WITHOUT RISK. USE WATER SPRAY TO REDUCE VAPORS. TAKE UP WITH SAND OR OTHER NON-COMBUSTIBLE ABSORBENT MATERIAL AND PLACE INTO CONTAINER FOR LATER DISPOSAL. FLUSH AREA WITH WATER.

J. T. BAKER SOLUSORB(R) SOLVENT ADSORBENT IS RECOMMENDED FOR SPILLS OF THIS PRODUCT.

DISPOSAL PROCEDURE

DISPOSE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL ENVIRONMENTAL REGULATIONS.

EPA HAZARDOUS WASTE NUMBER:

U057 (TOXIC WASTE)

=====

SECTION VIII - INDUSTRIAL PROTECTIVE EQUIPMENT

=====

VENTILATION:

USE GENERAL OR LOCAL EXHAUST VENTILATION TO MEET TLV REQUIREMENTS.

CONTINUED ON PAGE: 6

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151  
CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

C7051 -04

CYCLOHEXANONE

PAGE: 6

EFFECTIVE: 01/04/94

ISSUED: 01/15/94

=====

SECTION VIII - INDUSTRIAL PROTECTIVE EQUIPMENT (CONTINUED)

=====

RESPIRATORY PROTECTION: RESPIRATORY PROTECTION REQUIRED IF AIRBORNE  
CONCENTRATION EXCEEDS TLV. AT CONCENTRATIONS UP TO 25  
PPM, A CHEMICAL CARTRIDGE RESPIRATOR WITH ORGANIC  
VAPOR CARTRIDGE IS RECOMMENDED. ABOVE THIS LEVEL, A  
SELF-CONTAINED BREATHING APPARATUS IS RECOMMENDED.

EYE/SKIN PROTECTION: SAFETY GOGGLES, UNIFORM, APRON, PROPER GLOVES ARE  
RECOMMENDED.

=====

SECTION IX - STORAGE AND HANDLING PRECAUTIONS

=====

SAF-T-DATA\* STORAGE COLOR CODE: RED (FLAMMABLE)

STORAGE REQUIREMENTS

KEEP CONTAINER TIGHTLY CLOSED. STORE IN A COOL, DRY, WELL-VENTILATED,  
FLAMMABLE LIQUID STORAGE AREA OR CABINET.

=====

SECTION X - TRANSPORTATION DATA AND ADDITIONAL INFORMATION

=====

DOMESTIC (D.O.T.)

PROPER SHIPPING NAME: CYCLOHEXANONE

HAZARD CLASS: 3

UN/NA: UN1915 REPORTABLE QUANTITY: 5000 LBS. PACKAGING GROUP: III

LABELS: 3 FLAMMABLE LIQUID

REGULATORY REFERENCES: 49CFR 172.101

INTERNATIONAL (I.M.O.)

PROPER SHIPPING NAME: CYCLOHEXANONE

HAZARD CLASS: 3.3

UN: UN1915 MARINE POLLUTANTS: NO

LABELS: FLAMMABLE LIQUID

REGULATORY REFERENCES: 49CFR PART 176; IMDG CODE

I.M.O. PAGE: 3322

PACKAGING GROUP: III

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865

M A T E R I A L   S A F E T Y   D A T A   S H E E T

24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151

CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

C7051 -04

EFFECTIVE: 01/04/94

CYCLOHEXANONE

PAGE: 7

ISSUED: 01/15/94

=====

SECTION X - TRANSPORTATION DATA AND ADDITIONAL INFORMATION (CONTINUED)

=====

AIR (I.C.A.O.)

PROPER SHIPPING NAME: CYCLOHEXANONE

HAZARD CLASS: 3

UN: UN1915

PACKAGING GROUP: III

LABELS: FLAMMABLE LIQUID

REGULATORY REFERENCES: 49CFR PART 175; ICAO=== WE BELIEVE THE TRANSPORTATION DATA AND REFERENCES CONTAINED HEREIN TO BE FACTUAL AND THE OPINION OF QUALIFIED EXPERTS. THE DATA IS MEANT AS A GUIDE TO THE OVERALL CLASSIFICATION OF THE PRODUCT AND IS NOT PACKAGE SIZE SPECIFIC, NOR SHOULD IT BE TAKEN AS A WARRANTY OR REPRESENTATION FOR WHICH THE COMPANY ASSUMES LEGAL RESPONSIBILITY.=== THE INFORMATION IS OFFERED SOLELY FOR YOUR CONSIDERATION, INVESTIGATION, AND VERIFICATION. ANY USE OF THE INFORMATION MUST BE DETERMINED BY THE USER TO BE IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE, AND LOCAL LAWS AND REGULATIONS. SEE SHIPPER REQUIREMENTS 49CFR 171.2, CERTIFICATION 172.204, AND EMPLOYEE TRAINING 49 CFR 173.1(B).

U.S. CUSTOMS HARMONIZATION NUMBER: 29142210003

=====

NOTE: WHEN HANDLING LIQUID PRODUCTS, SECONDARY PROTECTIVE CONTAINERS MUST BE USED FOR CARRYING.

-N/A = NOT APPLICABLE, OR NOT AVAILABLE;

N/E = NOT ESTABLISHED.-

THE INFORMATION IN THIS MATERIAL SAFETY DATA SHEET MEETS THE REQUIREMENTS OF THE UNITED STATES OCCUPATIONAL SAFETY AND HEALTH ACT AND REGULATIONS PROMULGATED THEREUNDER (29 CFR 1910.1200 ET. SEQ.) AND THE CANADIAN WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. THIS DOCUMENT IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PERSON TRAINED IN, OR SUPERVISED BY A PERSON TRAINED IN, CHEMICAL HANDLING. THE USER IS RESPONSIBLE FOR DETERMINING THE PRECAUTIONS AND DANGERS OF THIS CHEMICAL FOR HIS OR HER PARTICULAR APPLICATION. DEPENDING ON USAGE, PROTECTIVE CLOTHING INCLUDING EYE AND FACE GUARDS AND RESPIRATORS MUST BE USED TO AVOID CONTACT WITH MATERIAL OR BREATHING CHEMICAL VAPORS/FUMES.

EXPOSURE TO THIS PRODUCT MAY HAVE SERIOUS ADVERSE HEALTH EFFECTS. THIS CHEMICAL MAY INTERACT WITH OTHER SUBSTANCES. SINCE THE POTENTIAL USES ARE SO VARIED, BAKER CANNOT WARN OF ALL OF THE POTENTIAL DANGERS OF USE

CONTINUED ON PAGE: 8

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151  
CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

C7051 -04  
EFFECTIVE: 01/04/94

CYCLOHEXANONE

PAGE: 8  
ISSUED: 01/15/94

=====

OR INTERACTION WITH OTHER CHEMICALS OR MATERIALS. BAKER WARRANTS THAT THE CHEMICAL MEETS THE SPECIFICATIONS SET FORTH ON THE LABEL. BAKER DISCLAIMS ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED WITH REGARD TO THE PRODUCT SUPPLIED HEREUNDER, ITS MERCHANTABILITY OR ITS FITNESS FOR A PARTICULAR PURPOSE.

THE USER SHOULD RECOGNIZE THAT THIS PRODUCT CAN CAUSE SEVERE INJURY AND EVEN DEATH, ESPECIALLY IF IMPROPERLY HANDLED OR THE KNOWN DANGERS OF USE ARE NOT HEEDDED. READ ALL PRECAUTIONARY INFORMATION. AS NEW DOCUMENTED GENERAL SAFETY INFORMATION BECOMES AVAILABLE, BAKER WILL PERIODICALLY REVISE THIS MATERIAL SAFETY DATA SHEET.

NOTE: CHEMTREC, CANUTEC, AND NATIONAL RESPONSE CENTER EMERGENCY TELEPHONE NUMBERS ARE TO BE USED ONLY IN THE EVENT OF CHEMICAL EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT INVOLVING CHEMICALS. ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE (1-800-JTBAKER) FOR ASSISTANCE.

---  
COPYRIGHT 1994 J.T.BAKER INC.  
\* TRADEMARKS OF J.T.BAKER INC.

===  
APPROVED BY QUALITY ASSURANCE DEPARTMENT.