

X Close this window

SDS

Common Name: SUPERCOAT CEILING PANEL TOUCH-UP PAINT

Manufacturer: ARMSTRONG WORLD INDUSTRIES

SDS Revision Date: 4/21/2015 SDS Format: GHS-US

Grainger Item Number(s): 5NTW4

Manufacturer Model Number(s):

SDS Table of Contents

Click the desired link below to jump directly to that section in the SDS.

1. IDENTIFICATION

2. HAZARD(S) IDENTIFICATION

3. COMPOSITION/INFORMATION ON INGREDIENTS

4. FIRST AID MEASURES

5. FIRE-FIGHTING MEASURES

6. ACCIDENTAL RELEASE MEASURES

7. HANDLING AND STORAGE

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

9. PHYSICAL AND CHEMICAL PROPERTIES

10. STABILITY AND REACTIVITY

11. TOXICOLOGICAL INFORMATION

12. ECOLOGICAL INFORMATION

13. DISPOSAL CONSIDERATIONS

14. TRANSPORT INFORMATION
15. REGULATORY INFORMATION

16. OTHER INFORMATION

ARMSTRONG (R*)

SAFETY DATA SHEET

ARMSTRONG SUPERCOAT (TM) CEILING PANEL TOUCH-UP PAINT

SDS REVISION DATE: 04/21/2015

1. IDENTIFICATION

1.1. PRODUCT IDENTIFIER:

PRODUCT IDENTITY: ARMSTRONG SUPERCOAT (TM) CEILING PANEL TOUCH-UP PAINT

ALTERNATE NAMES:

ACRYLIC LATEX PAINT, ARMSTRONG SUPERCOAT(TM) CEILING PANEL TOUCH-UP PAINT

1.2. RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST:

INTENDED USE: SEE TECHNICAL DATA SHEET.

APPLICATION METHOD: SEE TECHNICAL DATA SHEET.

1.3. DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

COMPANY NAME:
ARMSTRONG WORLD INDUSTRIES, INC
2500 COLUMBIA AVENUE
P.O. BOX 3001
LANCASTER, PA 17604.
USA

PH: 877-276-7876

EMERGENCY CUSTOMER SERVICE: CHEMTEL: 800-255-3924

2. HAZARD(S) IDENTIFICATION

A top

2.1. CLASSIFICATION OF THE SUBSTANCE OR MIXTURE: NO APPLICABLE GHS CATEGORIES.

2.2. LABEL ELEMENTS:

USING THE TOXICITY DATA LISTED IN SECTION 11 AND 12 THE PRODUCT IS LABELED AS FOLLOWS. NO APPLICABLE GHS CATEGORIES.

[PREVENTION]: NO GHS PREVENTION STATEMENTS

[RESPONSE]: NO GHS RESPONSE STATEMENTS

[STORAGE]: NO GHS STORAGE STATEMENTS

[DISPOSAL]: NO GHS DISPOSAL STATEMENTS

3. COMPOSITION/INFORMATION ON INGREDIENTS

A top

THIS PRODUCT CONTAINS THE FOLLOWING SUBSTANCES THAT PRESENT A HAZARD WITHIN THE MEANING OF THE RELEVANT STATE AND FEDERAL HAZARDOUS SUBSTANCES REGULATIONS.

INGREDIENT/CHEMICAL DESIGNATIONS	WEIGHT %	GHS CLASSIFICATION	NOTES
CALCIUM CARBONATE CAS NUMBER: 0001317-65-3	25 - 50	NOT CLASSIFIED	[1][2]
ALUMINIUM HYDROXIDE CAS NUMBER: 0021645-51-2	10 - 25	NOT CLASSIFIED	[1]
TITANIUM DIOXIDE CAS NUMBER: 0013463-67-7	10 - 25	NOT CLASSIFIED	[1][2]
COPOLYMER OF VINYL CHLORIDE AND ETHYLENE CAS NUMBER: PROPRIETARY	10 - 25	NOT CLASSIFIED	[1]
MICA CAS NUMBER: 0012001-26-2	1.0 - 10	NOT CLASSIFIED	[1][2]

IN ACCORDANCE WITH PARAGRAPH (I) OF SUBSECTION 1910.1200, THE SPECIFIC CHEMICAL IDENTITY AND/OR EXACT PERCENTAGE (CONCENTRATION) OF COMPOSITION HAS BEEN WITHHELD AS A TRADE SECRET.

- [1] SUBSTANCE CLASSIFIED WITH A HEALTH OR ENVIRONMENTAL HAZARD.
- [2] SUBSTANCE WITH A WORKPLACE EXPOSURE LIMIT.
- [3] PBT-SUBSTANCE OR VPVB-SUBSTANCE.

*THE FULL TEXTS OF THE PHRASES ARE SHOWN IN SECTION 16.

4. FIRST AID MEASURES

A top

4.1. DESCRIPTION OF FIRST AID MEASURES:

GENERAL:

IN ALL CASES OF DOUBT, OR WHEN SYMPTOMS PERSIST, SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

INHALATION: NONE

EYES:

IRRIGATE COPIOUSLY WITH CLEAN WATER FOR AT LEAST 15 MINUTES, HOLDING THE EYELIDS APART AND SEEK MEDICAL ATTENTION.

SKIN:

REMOVE CONTAMINATED CLOTHING. WASH SKIN THOROUGHLY WITH SOAP AND WATER OR USE A RECOGNIZED SKIN CLEANSER.

INGESTION:

IF SWALLOWED OBTAIN IMMEDIATE MEDICAL ATTENTION. KEEP AT REST. DO NOT INDUCE VOMITING.

4.2. MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

OVERVIEW:

PRIMARY ROUTE(S) OF ENTRY: DIRECT DERMAL EXPOSURE

TARGET ORGANS: SKIN AND EYES

EFFECTS OF OVEREXPOSURE:

SKIN AND EYES:

EXCESSIVE OR PROLONGED SKIN CONTACT MAY CAUSE IRRITATION AND RESULT IN DERMATITIS. EYE CONTACT MAY BE IRRITATING.

INHALATION:

DUST EXPOSURE IS NOT EXPECTED SINCE THE RAW MATERIALS ARE TIED UP IN THE PRODUCT AND DO NOT PRESENT A DUST HAZARD.

5. FIRE-FIGHTING MEASURES

A top

5.1. EXTINGUISHING MEDIA:

RECOMMENDED EXTINGUISHING MEDIA; ALCOHOL RESISTANT FOAM, CO2, POWDER, WATER SPRAY.

DO NOT USE: WATER JET.

5.2. SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

HAZARDOUS DECOMPOSITION:

NORMAL PRODUCTS OF COMBUSTION.

AVOID BREATHING DUST / FUME / GAS / MIST / VAPORS / SPRAY.

5.3. ADVICE FOR FIRE-FIGHTERS:

CLOSED CONTAINERS IN A FIRE MAY RUPTURE DUE TO PRESSURE BUILDUP; USE WATER TO COOL CONTAINERS TO PREVENT THIS. PROTECT FIRE FIGHTERS FROM TOXIC PRODUCTS OF COMBUSTION BY WEARING SELF-CONTAINED BREATHING APPARATUS.

ERG GUIDE NO.:

6. ACCIDENTAL RELEASE MEASURES

A top

- 6.1. PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: PUT ON APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT (SEE SECTION 8).
- 6.2. ENVIRONMENTAL PRECAUTIONS: DO NOT ALLOW SPILLS TO ENTER DRAINS OR WATERWAYS.

USE GOOD PERSONAL HYGIENE PRACTICES. WASH HANDS BEFORE EATING, DRINKING, SMOKING OR USING TOILET. PROMPTLY REMOVE SOILED CLOTHING AND WASH THOROUGHLY BEFORE REUSE.

6.3. METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: CONTAIN SPILL, PREVENTING IT FROM ENTERING SEWER LINE OR WATERWAYS. USE ABSORBENT TO PICK UP RESIDUE AND DISPOSE OF PROPERLY.

WASTE DISPOSAL METHOD:

DISPOSE OF CONTAINER AND ANY UNUSED CONTENTS IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL WASTE DISPOSAL REGULATIONS. DO NOT REUSE CONTAINER.

7. HANDLING AND STORAGE

A top

- 7.1. PRECAUTIONS FOR SAFE HANDLING: FOR EXTERNAL USE ONLY. KEEP OUT OF CHILDREN.
- 7.2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: HANDLE CONTAINERS CAREFULLY TO PREVENT DAMAGE AND SPILLAGE.

INCOMPATIBLE MATERIALS: OXIDIZING AGENTS.

STORE BELOW 100 DEGREES F. KEEP FROM FREEZING.

7.3. SPECIFIC END USE(S): NO DATA AVAILABLE.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

A top

8.1. CONTROL PARAMETERS:

EXPOSURE:

CAS NO.	INGREDIENT	SOURCE	VALUE
0001317-65-3	CALCIUM CARBONATE	OSHA	TWA: 15 MG/M3 (TOTAL) TWA: 5 MG/M3 (RESP)
		ACGIH	TWA: 10 MG/M3 CEILING: 20 MG/M3
		NIOSH	TWA: 10 MG/M3 (TOTAL) TWA: 5 MG/M3 (RESP)
		SUPPLIER	NO ESTABLISHED LIMIT
0012001-26-2	MICA	OSHA ACGIH NIOSH SUPPLIER	TWA: 20 MPPCF TWA: 3 MG/M3 TWA: 3 MG/M3 (RESP) NO ESTABLISHED LIMIT
0013463-67-7	TITANIUM DIOXIDE	OSHA	TWA: 15 MG/M3
		ACGIH	TWA: 10 MG/M32B, REVISED 2006,

		NIOSH	FOOTNOTE CA
		SUPPLIER	NO ESTABLISHED LIMIT
0021645-51-2	ALUMINIUM HYDROXIDE	OSHA ACGIH NIOSH SUPPLIER	NO ESTABLISHED LIMIT NO ESTABLISHED LIMIT NO ESTABLISHED LIMIT NO ESTABLISHED LIMIT
PROPRIETARY	COPOLYMER OF VINYL CHLORIDE AND ETHYLENE	OSHA ACGIH NIOSH SUPPLIER	NO ESTABLISHED LIMIT NO ESTABLISHED LIMIT NO ESTABLISHED LIMIT NO ESTABLISHED LIMIT
CARCINOGEN DATA:			
CAS NO.	INGREDIENT	SOURCE	VALUE
0001317-65-3	CALCIUM CARBONATE	OSHA	SELECT CARCINOGEN: NO
		NTP	KNOWN: NO SUSPECTED: NO
		IARC	GROUP 1: NO GROUP 2A: NO GROUP 2B: NO GROUP 3: NO GROUP 4: NO
0012001-26-2	MICA	OSHA	SELECT CARCINOGEN: NO
		NTP	KNOWN: NO SUSPECTED: NO
		IARC	GROUP 1: NO GROUP 2A: NO GROUP 2B: NO GROUP 3: NO GROUP 4: NO
0013463-67-7	TITANIUM DIOXIDE	OSHA	SELECT CARCINOGEN: NO
		NTP	KNOWN: NO SUSPECTED: NO
		IARC	GROUP 1: NO GROUP 2A: NO GROUP 2B: YES GROUP 3: NO GROUP 4: NO
0021645-51-2	ALUMINIUM HYDROXIDE	OSHA	SELECT CARCINOGEN: NO
		NTP	KNOWN: NO SUSPECTED: NO
		IARC	GROUP 1: NO GROUP 2A: NO GROUP 2B: NO GROUP 3: NO GROUP 4: NO
PROPRIETARY	COPOLYMER OF VINYL CHLORIDE AND ETHYLENE	OSHA	SELECT CARCINOGEN: NO
		NTP	KNOWN: NO SUSPECTED: NO
		IARC	GROUP 1: NO GROUP 2A: NO

GROUP 2B: NO GROUP 4: NO

8.2. EXPOSURE CONTROLS:

RESPIRATORY: SHOULD NOT BE REQUIRED UNDER TYPICAL CONDITIONS OF USE.

EYES: PROTECTIVE SAFETY GLASSES RECOMMENDED

SKIN: PROTECTIVE GLOVES (E.G. LATEX OR NITRILE) RECOMMENDED.

ENGINEERING CONTROLS:

PROVIDE ADEQUATE VENTILATION. WHERE REASONABLY PRACTICABLE THIS SHOULD BE ACHIEVED BY THE USE OF LOCAL EXHAUST VENTILATION AND GOOD GENERAL EXTRACTION. IF THESE ARE NOT SUFFICIENT TO MAINTAIN CONCENTRATIONS OF PARTICULATES AND ANY VAPOR BELOW OCCUPATIONAL EXPOSURE LIMITS SUITABLE RESPIRATORY PROTECTION MUST BE WORN.

OTHER WORK PRACTICES:

USE GOOD PERSONAL HYGIENE PRACTICES. WASH HANDS BEFORE EATING, DRINKING, SMOKING OR USING TOILET. PROMPTLY REMOVE SOILED CLOTHING AND WASH THOROUGHLY BEFORE REUSE.

9. PHYSICAL AND CHEMICAL PROPERTIES

A top

APPEARANCE: WHITE LIQUID

ODOR: NOT MEASURED

ODOR THRESHOLD: NOT MEASURED

PH: 8-9

MELTING POINT / FREEZING POINT: NOT MEASURED

INITIAL BOILING POINT AND BOILING RANGE: NOT MEASURED

FLASH POINT: NONE

EVAPORATION RATE (ETHER = 1):

(BUTYL ACETATE=1): SLOWER THAN ETHER

FLAMMABILITY (SOLID, GAS): NOT APPLICABLE

UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:

LOWER EXPLOSIVE LIMIT: NOT MEASURED UPPER EXPLOSIVE LIMIT: NOT MEASURED

VAPOR PRESSURE (PA): NOT MEASURED

VAPOR DENSITY: NOT MEASURED

SPECIFIC GRAVITY (H2O=1): 1.92

SOLUBILITY IN WATER: SOLUBLE

PARTITION COEFFICIENT N-OCTANOL/WATER (LOG KOW): NOT MEASURED

AUTO-IGNITION TEMPERATURE: NOT MEASURED

DECOMPOSITION TEMPERATURE: NOT MEASURED

VISCOSITY (CST): NOT MEASURED

VOLATILES (% BY WEIGHT): (30 MIN. @ 275 DEGREES F): 32

9.2. OTHER INFORMATION: NO OTHER RELEVANT INFORMATION.

10. STABILITY AND REACTIVITY

A top

- 10.1. REACTIVITY: HAZARDOUS POLYMERIZATION WILL NOT OCCUR.
- 10.2. CHEMICAL STABILITY: STABLE UNDER NORMAL CIRCUMSTANCES.
- 10.3. POSSIBILITY OF HAZARDOUS REACTIONS: NO DATA AVAILABLE.
- 10.4. CONDITIONS TO AVOID: NO DATA AVAILABLE.
- 10.5. INCOMPATIBLE MATERIALS: OXIDIZING AGENTS.
- 10.6. HAZARDOUS DECOMPOSITION PRODUCTS: NO INFORMATION PROVIDED.

11. TOXICOLOGICAL INFORMATION

A top

ACUTE TOXICITY:

INGREDIENT	•	SKIN LD50, MG/KG	INHALATION VAPOR LC50, MG/L/4HR	DUST/MIST	GAS LC50,
CALCIUM CARBONATE - (1317-65-3)			NO DATA AVAILABLE		NO DATA AVAILABLE
ALUMINIUM HYDROXIDE - (21645-51-2)	RAT -	NO DATA AVAILABLE			NO DATA AVAILABLE
TITANIUM DIOXIDE - (13463-67-7)	RAT -	RABBIT -	NO DATA AVAILABLE	6.82, RAT - CATEGORY: NA	
COPOLYMER OF VINYL CHLORIDE AND ETHYLENE - (PROPRIETARY)		NO DATA AVAILABLE	NO DATA AVAILABLE	NO DATA AVAILABLE	
MICA - (12001-26-2)		NO DATA AVAILABLE	NO DATA AVAILABLE	NO DATA AVAILABLE	NO DATA AVAILABLE

NOTE:

WHEN NO ROUTE SPECIFIC LD50 DATA IS AVAILABLE FOR AN ACUTE TOXIN, THE CONVERTED ACUTE TOXICITY POINT ESTIMATE WAS USED IN THE CALCULATION OF THE PRODUCT'S ATE (ACUTE TOXICITY ESTIMATE).

CLASSIFICATION		CATEGORY	HAZARD	DESCRIPTION
ACUTE TOXICITY (ORA	AL)		NOT AP	PLICABLE
ACUTE TOXICITY (DER	RMAL)		NOT AP	PLICABLE
ACUTE TOXICITY (INH	IALATION)		NOT AP	PLICABLE
SKIN CORROSION/IRRI	TATION		NOT AP	PLICABLE
SERIOUS EYE DAMAGE/	'IRRITATION		NOT AP	PLICABLE

RESPIRATORY SENSITIZATION	NOT APPLICABLE
SKIN SENSITIZATION	NOT APPLICABLE
GERM CELL MUTAGENICITY	NOT APPLICABLE
CARCINOGENICITY	NOT APPLICABLE
REPRODUCTIVE TOXICITY	NOT APPLICABLE
STOT-SINGLE EXPOSURE	NOT APPLICABLE
STOT-REPEATED EXPOSURE	NOT APPLICABLE
ASPIRATION HAZARD	NOT APPLICABLE

12. ECOLOGICAL INFORMATION

A top

12.1. TOXICITY: TOXIC TO AQUATIC LIFE

AQUATIC ECOTOXICITY:

INGREDIENT	96 HR LC50 FISH, MG/L	48 HR EC50 CRUSTACEA, MG/L	_
CALCIUM CARBONATE - (1317-65-3)	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE
ALUMINIUM HYDROXIDE - (21645-51-2)	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE
	1,000.00, FUNDULUS HETEROCLITUS		5.83 (72 HR), PSEUDOKIRCHNERIELLA SUBCAPITATA
COPOLYMER OF VINYL CHLORIDE AND ETHYLENE - (PROPRIETARY)	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE
MICA - (12001-26-2)	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE

- 12.2. PERSISTENCE AND DEGRADABILITY:
- THERE IS NO DATA AVAILABLE ON THE PREPARATION ITSELF.
- 12.3. BIOACCUMULATIVE POTENTIAL: NOT MEASURED
- 12.4. MOBILITY IN SOIL: NO DATA AVAILABLE.
- 12.5. RESULTS OF PBT AND VPVB ASSESSMENT: THIS PRODUCT CONTAINS NO PBT/VPVB CHEMICALS.
- 12.6. OTHER ADVERSE EFFECTS: NO DATA AVAILABLE.

13. DISPOSAL CONSIDERATIONS

A top

13.1. WASTE TREATMENT METHODS: OBSERVE ALL FEDERAL, STATE AND LOCAL REGULATIONS WHEN DISPOSING OF THIS SUBSTANCE.

14. TRANSPORT INFORMATION

A top

DOT (DOMESTIC IMO / IMDG ICAO/IATA SURFACE (OCEAN TRANSPORTATION) TRANSPORTATION) 14.1. UN NUMBER NOT APPLICABLE NOT REGULATED NOT REGULATED 14.2. UN PROPER NOT REGULATED NOT REGULATED NOT REGULATED SHIPPING NAME DOT HAZARD CLASS: IMDG: 14.3. TRANSPORT AIR CLASS: HAZARD CLASS(ES) NOT APPLICABLE NOT APPLICABLE NOT APPLICABLE SUB CLASS: NOT APPLICABLE 14.4. PACKING GROUP NOT APPLICABLE NOT APPLICABLE NOT APPLICABLE

14.5. ENVIRONMENTAL HAZARDS:

IMDG:

MARINE POLLUTANT: NO

14.6. SPECIAL PRECAUTIONS FOR USER: NO FURTHER INFORMATION

15. REGULATORY INFORMATION

A top

REGULATORY OVERVIEW:

THE REGULATORY DATA IN SECTION 15 IS NOT INTENDED TO BE ALL-INCLUSIVE, ONLY SELECTED REGULATIONS ARE REPRESENTED.

TOXIC SUBSTANCE CONTROL ACT (TSCA):

ALL COMPONENTS OF THIS MATERIAL ARE EITHER LISTED OR EXEMPT FROM LISTING ON THE TSCA INVENTORY.

WHMIS CLASSIFICATION: NOT REGULATED

US EPA TIER II HAZARDS:

FIRE: NO

SUDDEN RELEASE OF PRESSURE: NO

REACTIVE: NO

IMMEDIATE (ACUTE): NO
DELAYED (CHRONIC): NO

EPCRA 311/312 CHEMICALS AND RQS:

TO THE BEST OF OUR KNOWLEDGE, THERE ARE NO CHEMICALS AT LEVELS WHICH REQUIRE REPORTING UNDER THIS STATUTE.

EPCRA 302 EXTREMELY HAZARDOUS:

TO THE BEST OF OUR KNOWLEDGE, THERE ARE NO CHEMICALS AT LEVELS WHICH REQUIRE REPORTING UNDER THIS STATUTE.

EPCRA 313 TOXIC CHEMICALS: ZINC PYRIDINETHIONE

PROPOSITION 65 - CARCINOGENS (>0.0%): FORMALDEHYDE

PROPOSITION 65 - DEVELOPMENTAL TOXINS (>0.0%):

TO THE BEST OF OUR KNOWLEDGE, THERE ARE NO CHEMICALS AT LEVELS WHICH REQUIRE REPORTING UNDER THIS STATUTE.

PROPOSITION 65 - FEMALE REPRO TOXINS (>0.0%):

TO THE BEST OF OUR KNOWLEDGE, THERE ARE NO CHEMICALS AT LEVELS WHICH REQUIRE REPORTING UNDER THIS STATUTE.

PROPOSITION 65 - MALE REPRO TOXINS (>0.0%):

TO THE BEST OF OUR KNOWLEDGE, THERE ARE NO CHEMICALS AT LEVELS WHICH

REQUIRE REPORTING UNDER THIS STATUTE.

NEW JERSEY RTK SUBSTANCES (>1%): CALCIUM CARBONATE MICA TITANIUM DIOXIDE

PENNSYLVANIA RTK SUBSTANCES (>1%): CALCIUM CARBONATE MICA TITANIUM DIOXIDE

16. OTHER INFORMATION



THE INFORMATION AND RECOMMENDATIONS CONTAINED HEREIN ARE BASED UPON DATA BELIEVED TO BE CORRECT. HOWEVER, NO GUARANTEE OR WARRANTY OF ANY KIND, EXPRESSED OR IMPLIED, IS MADE WITH RESPECT TO THE INFORMATION CONTAINED HEREIN. WE ACCEPT NO RESPONSIBILITY AND DISCLAIM ALL LIABILITY FOR ANY HARMFUL EFFECTS WHICH MAY BE CAUSED BY EXPOSURE TO OUR PRODUCTS. CUSTOMERS/USERS OF THIS PRODUCT MUST COMPLY WITH ALL APPLICABLE HEALTH AND SAFETY LAWS, REGULATIONS, AND ORDERS.

THE FULL TEXT OF THE PHRASES APPEARING IN SECTION 3 IS: NOT APPLICABLE

THIS IS THE FIRST VERSION IN THE GHS SDS FORMAT. LISTINGS OF CHANGES FROM PREVIOUS VERSIONS IN OTHER FORMATS ARE NOT APPLICABLE.

DISCLAIMER:

THE INFORMATION PRESENTED HEREIN IS SUPPLIED AS A GUIDE TO THOSE WHO HANDLE OR USE THIS PRODUCT. SAFE WORK PRACTICES MUST BE EMPLOYED WHEN WORKING WITH ANY MATERIALS. IT IS IMPORTANT THAT THE END USER MAKES A DETERMINATION REGARDING THE ADEQUACY OF THE SAFETY PROCEDURES EMPLOYED DURING THE USE OF THIS PRODUCT.