

SAFETY DATA SHEET

Issuing date 09-Dec-2015

Revision Date 09-Dec-2015

Revision Number 0

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SSYS Part Number

400625-0002

Product name

P400SC™ Waterworks™ Cleaning Solution

Synonyms

Alkaline cleaning agent

Contains Sodium hydroxide

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use

Additive manufacturing

Uses advised against

No information available

1.3. Details of the supplier of the safety data sheet

Importer Stratasvs GMBH Supplier Stratasys Inc

Simon Hegele

7665 Commerce Way

Gesellschaft für Logistik und Service mbH Eden Prairie, MN Tejostraße 1-9 (Unit 5, Gate 67)

55344

65479 Raunheim

TEL: 1(952) 937 3000

Germany

TEL: +49 722 977720

For further information, please contact

E-mail address

objet-info@stratasys.com

1.4. Emergency telephone number

Emergency Telephone Number

1(952) 937 3000

+49 722 97772280 - Europe - Multi lingual response +49 722 97772281 - Global - English language response

Europe

112

Section 2. Hazards identification

2.1. - Classification of the substance or mixture

REGULATION (EC) No 1272/2008

| TEOODT TON (EO) NO 12/22/2000 | |
|-----------------------------------|---------------------------|
| Skin corrosion/irritation | Category 1 Subcategory 1A |
| Serious eye damage/eye irritation | Category 1 |

Physical hazards

none

2.2. Label elements



WPS-STS-013 - P400SC™ Waterworks™ Cleaning Solution

Signal Word

Danger

Hazard statements

H314 - Causes severe skin burns and eye damage

Precautionary statements

P264 - Wash face, hands and any exposed skin thoroughly after handling

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P363 - Wash contaminated clothing before reuse

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON centre or doctor/ physician

2.3. Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

3.2. Mixtures

| Chemical Name | EC-No | CAS-No | Weight percent | EU - GHS Substance Classification | REACH No. |
|-----------------------|-----------|-----------|----------------|--|-------------------|
| Sodium carbonate | 207-838-8 | 497-19-8 | 60-70 | Eye Irrit. 2 (H319) | no data available |
| Sodium hydroxide | 215-185-5 | 1310-73-2 | 20-30 | Skin Corr. 1A (H314) | no data available |
| Sodium lauryl sulfate | 205-788-1 | 151-21-3 | 1-5 | | no data available |
| Sodium metasilicate | 229-912-9 | 6834-92-0 | 1-5 | Skin Corr. 1B (H314) STOT SE 3 (H335) | no data available |

For the full text of the H-Statements mentioned in this Section, see Section 16

Section 4. First aid measures

4.1. Description of first aid measures

General advice Immediate medical attention is required.

Eye contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected

area.

Skin contact Immediate medical attention is required. Wash off immediately with soap and plenty of

water removing all contaminated clothes and shoes.

Ingestion Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an

unconscious person. Call a physician or poison control centre immediately.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.

4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects Corrosive. Serious eye irritation or damage.

4.3. Indication of immediate medical attention and special treatment needed

Notes to physician

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal oedema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

Section 5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray. Dry powder. Carbon dioxide (CO2). Foam.

Extinguishing Media Which Must not be Used for Safety Reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Special Exposure Hazards Arising from the Substance or Preparation Itself, Combustion Products, Resulting Gases Burning produces noxious and toxic fumes. Carbon monoxide. Carbon dioxide (CO₂). Nitrogen oxides (NOx).

5.3. Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Attention! Corrosive material. Evacuate personnel to safe areas. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Keep people away from and upwind of spill/leak. High risk of slipping due to leakage/spillage of product. Avoid inhalation of dust. Avoid dust formation. Refer to Section 8 for personal protective equipment.

6.2. Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Should not be released into the environment. See Section 12 for additional Ecological Information.

6.3. Methods and materials for containment and cleaning up

Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

See Section 12 for additional information.

Section 7. Handling and storage

7.1. Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practise. Avoid dust formation. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Avoid breathing dust. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Do not take internally. Wash thoroughly after handling.

Page 3/10

Hygiene measures

When using, do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. For environmental protection, remove and wash all contaminated protective equipment before re-use. Wear suitable gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Keep tightly closed in a dry and cool place. Keep away from direct sunlight. Keep away from heat. Store away from incompatible materials. See Section 10 for Incompatibles.

7.3. Specific end uses

Exposure scenario

No information available

Other Guidelines

No information available

Section 8. Exposure controls/personal protection

8.1. Control parameters

Exposure limits

| Chemical Name | European Union | The United Kingdom | France | Spain | Germany |
|---|------------------------------|-------------------------------|---|---|------------------------------|
| Sodium hydroxide 1310-73-2 | | STEL: 2 mg/m³ | TWA: 2 mg/m³ | STEL: 2 mg/m ³ | |
| Component | Italy | Portugal | The Netherlands | Finland | Denmark |
| Sodium hydroxide 1310-73-2 (20-30) | | Ceiling: 2 mg/m ³ | | STEL: 2 mg/m ³ Ceiling: 2 mg/m ³ | Ceiling: 2 mg/m ³ |
| Chemical Name | Austria | Switzerland | Poland | Norway | Ireland |
| Sodium hydroxide 1310-73-2 | STEL 4 mg/m³ TWA: 2 mg/m³ | STEL: 2 mg/m³ TWA: 2 mg/m³ | STEL: 1 mg/m ³ TWA: 0.5 mg/m ³ | Ceiling: 2 mg/m ³ | STEL: 2 mg/m ³ |

Derived No Effect Level

No information available.

Predicted No Effect Concentration

No information available.

(PNEC)

8.2. Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye Protection

impervious clothing.

Skin and body protection Hand protection

Impervious gloves.

Tightly fitting safety goggles.

Respiratory protection

No protective equipment is needed under normal use conditions. Effective dust mask.

No information available. **Environmental Exposure Controls**

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State

Solid (powder)

Appearance

white

Odour

none

Property Values pH no data available Melting point/range no data available Boiling point/boiling range no data available no data available Flash point **Evapouration rate** no data available Flammability (solid, gas) no data available

Vapour pressure no data available Vapour density no data available Relative density no data available Water solubility no data available Solubility in other solvents no data available Partition coefficient: n-octanol/waterno data available **Autoignition temperature** no data available Decomposition temperature no data available no data available Viscosity **Explosive properties** no data available **Oxidising properties** no data available Remarks/ - Method

None known None known None known None known None known None known

None known None known None known None known None known None known None known None known None known

9.2. Other information

No information available VOC Content (%) Flammability Limits in Air no data available

Section 10. Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Incompatible products. Heat, flames and sparks. Static discharge.

Incompatible materials

Strong reducing agents. Strong oxidising agents. Metals.

10.6. Hazardous decomposition products

Burning produces noxious and toxic fumes. Carbon oxides. Nitrogen oxides (NOx). Ammonia.

Section 11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Product Information

Inhalation Eye contact Inhalation of dust in high concentration may cause irritation of respiratory system. Causes serious eye damage. Corrosive to the eyes and may cause severe damage

including blindness.

Corrosive. Causes severe skin burns.

Skin contact Ingestion

May be harmful if swallowed. Ingestion of corrosive substances can cause burns of the upper digestive and respiratory tract.

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-----------------------|--------------------|----------------------|---|
| Sodium carbonate | = 4090 mg/kg (Rat) | | |
| Sodium hydroxide | | 1350 mg/kg (Rabbit) | - x - x - x - x - x - x - x - x - x - x |
| Sodium lauryl sulfate | = 1288 mg/kg (Rat) | = 580 mg/kg (Rabbit) | >3900 mg/m³ (Rat) 1 h |
| Sodium metasilicate | = 600 mg/kg (Rat) | | |

Sensitisation No infor Mutagenic effects No infor Carcinogenic effects No infor

Reproductive toxicity
Developmental Toxicity
Specific target organ systemic
toxicity (single exposure)
Specific target organ systemic
toxicity (repeated exposure)

Target Organ Effects
Aspiration hazard

No information available. No information available. No information available.

No information available. No information available. No information available.

No information available.

Eyes. Respiratory system. Skin. No information available.

Section 12. Ecological information

12.1. Toxicity

Ecotoxicity effects

Harmful to aquatic organisms.

| Chemical Name | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia magna (Water flea) |
|------------------|---------------------------------------|---|-------------------------------|--|
| Sodium carbonate | EC50 120 h: = 242 mg/L (Nitzschia) | LC50 96 h: = 300 mg/L static (Lepomis macrochirus) LC50 96 h: 310 - 1220 mg/L static (Pimephales promelas) | | EC50 48 h: = 265 mg/L (Daphnia magna) |
| Sodium hydroxide | | LC50 96 h: = 45.4 mg/L static (Oncorhynchus mykiss) | | |

| Sodium lauryl sulfate | (Pseudokirchneriella subcapitata) EC50 96 h: 3.59 - 15.6 mg/L static (Pseudokirchneriella subcapitata) | LC50 96 h: 8 - 12.5 mg/L static (Pimephales promelas) LC50 96 h: 15 - 18.9 mg/L static (Pimephales promelas) LC50 96 h: 22.1 - 22.8 mg/L static (Pimephales promelas) LC50 96 h: 2.3 - 22.8 mg/L static (Pimephales promelas) LC50 96 h: 4.3 - 8.5 mg/L static (Oncorhynchus mykiss) LC50 96 h: 4.2 mg/L (Oncorhynchus mykiss) LC50 96 h: = 4.2 mg/L (Oncorhynchus mykiss) LC50 96 h: = 7.97 mg/L (Oncorhynchus mykiss) LC50 96 h: = 7.97 mg/L flow-through (Brachydanio rerio) LC50 96 h: 9.9 - 20.1 mg/L semi-static (Brachydanio rerio) LC50 96 h: 4.06 - 5.75 mg/L static (Lepomis macrochirus) LC50 96 h: 4.2 - 4.8 mg/L flow-through (Lepomis macrochirus) LC50 96 h: 5.8 - 7.5 mg/L static (Pimephales promelas) LC50 96 h: 10.2 - 22.5 mg/L semi-static (Pimephales promelas) LC50 96 h: 13.5 - 18.3 mg/L semi-static (Poecilia reticulata) LC50 96 h: 13.5 - 18.3 mg/L semi-static (Poecilia reticulata) LC50 96 h: 1.3.5 - 18.3 mg/L semi-static (Poecilia reticulata) LC50 96 h: 1.3.1 mg/L semi-static (Cyprinus carpio) | EC50 48 h: = 1.8 mg/L (Daphnia magna) |
|-----------------------|--|--|--|
| Sodium metasilicate | | LC50 96 h: = 210 mg/L semi-static (Brachydanio rerio) LC50 96 h: = 210 mg/L (Brachydanio rerio) | EC50 96 h: = 216 mg/L (Daphnia magna) |

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

| Chemical Name | log Pow |
|-----------------------|---------|
| Sodium lauryl sulfate | 1.6 |

12.4. Mobility in soil

Adsorbs on soil.

12.5. Results of PBT and vPvB assessment

No information available.

-

12.6. Other adverse effects

This product does not contain any known or suspected endocrine disruptors

Section 13. Disposal considerations

13.1. Waste treatment methods

Waste from residues / unused

Contaminated packageing

Dispose of in accordance with local regulations.

products

Do not re-use empty containers.

Other Information

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application

for which the product was used.

Section 14. Transport information

IMDG/IMO

14.1. UN-Number UN1823

14.2. Proper shipping name Sodium hydroxide, solid mixture

14.3. Hazard class 14.4. Packing group

Description UN1823, Sodium hydroxide, solid mixture, 8, II

14.5. Marine pollutant None.
14.6. Special Provisions none.
EmS F-A, S-B

14.7. Transport in bulk according to No information available

Annex II of MARPOL 73/78 and the

IBC Code

RID

14.1. UN-Number UN1823

14.2. Proper shipping name Sodium hydroxide, solid mixture

14.3. Hazard class 8
14.4. Packing group II

Description UN1823, Sodium hydroxide, solid mixture, 8, II

14.5. Environmental hazard. None 14.6. Special Provisions none. Classification Code C6

ADR

14.1. UN-Number UN1823

14.2. Proper shipping name Sodium hydroxide, solid mixture

14.3. Hazard class 8 14.4. Packing group

Description UN1823, Sodium hydroxide, solid mixture, 8, II, (E)

14.5. Environmental hazard. None
14.6. Special Provisions None
Classification Code C6
Tunnel Restriction Code (E)

ICAO

14.1. UN-Number UN1823

14.2. Proper shipping name Sodium hydroxide, solid mixture

14.3. Hazard class

Page 8/10

WPS-STS-013 - P400SC™ Waterworks™ Cleaning Solution

14.4. Packing group

Description UN1823, Sodium hydroxide, solid mixture, 8, II

14.5. Environmental hazard. None 14.6. Special Provisions None

IATA

14.1. UN-Number UN1823

14.2. Proper Shipping Name Sodium hydroxide, solid mixture

14.3. Hazard class 14.4. Packing group

Description UN1823, Sodium hydroxide, solid mixture, 8, II

14.5. Environmental hazard. None 14.6. Special Provisions None **ERG Code** 8L

Section 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Complies **EINECS/ELINCS** not determined DSL/NDSL not determined not determined **PICCS ENCS** not determined **IECSC** not determined -AICS not determined not determined KECL

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical Safety Assessment

No information available

Section 16. Other information

Full text of H-Statements referred to under sections 2 and 3

H314 - Causes severe skin burns and eye damage

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

Key literature references and sources for data

www.ChemADVISOR.com/

09-Dec-2015 Issuing date

Revision Date 09-Dec-2015 **Revision Note**

Initial Release.

This safety data sheet complies with the requirements of Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No. 1907/2006

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet

Page 10 / 10