



# SAFETY DATA SHEET

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Low Conductivity Coolant

Other means of identification

**SDS number:** 20000003016

Recommended use and restriction on use

Recommended use: Reserved for industrial and professional use.

Restrictions on use: Not known. Read this SDS before using this product.

Manufacturer/Importer/Supplier/Distributor Information

Company Name: The Lincoln Electric Company Address: 22801 Saint Clair Avenue

Cleveland, Ohio 44117

USA

Telephone: +1 (216) 481-8100

Contact Person: Safety Data Sheet Questions: www.lincolnelectric.com/sds

Arc Welding Safety Information: www.lincolnelectric.com/safety

**Emergency telephone number:** 

USA/Canada/Mexico +1 (888) 609-1762 Americas/Europe +1 (216) 383-8962 Asia Pacific +1 (216) 383-8966 Middle East/Africa +1 (216) 383-8969

3E Company Access Code: 333988

#### 2. HAZARDS IDENTIFICATION

#### Hazard Classification Health Hazards

Acute toxicity (Oral) Category 4
Specific Target Organ Toxicity - Category 2

Repeated Exposure

#### **Label Elements**

# **Hazard Symbol:**



Signal Word: Warning

Hazard Statement: Harmful if swallowed.

May cause damage to organs Kidney through prolonged or repeated

exposure.

Precautionary Statements:





**Prevention:** Wash thoroughly after handling. Do not eat, drink or smoke when using this

product. Do not breathe dust/fume/gas/mist/vapors/spray.

Response: IF SWALLOWED: Call a POISON CENTRE/doctor/... if you feel unwell.

Rinse mouth. Get medical advice/attention if you feel unwell.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

# **Reportable Hazardous Ingredients**

#### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
Ethylene glycol	107-21-1	50 - <100%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition Comments: The term "Hazardous Ingredients" should be interpreted as a term defined

in Hazard Communication standards and does not necessarily imply the existence of a welding hazard. The product may contain additional non-hazardous ingredients or may form additional compounds under the condition of use. Refer to Sections 2 and 8 for more information.

# 4. FIRST AID MEASURES

Ingestion: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

**Inhalation:** Move to fresh air if breathing is difficult. If breathing has stopped, perform

artificial respiration and obtain medical assistance at once.

**Skin Contact:** Remove contaminated clothing and wash the skin thoroughly with soap and

water. For reddened or blistered skin, or thermal burns, obtain medical

assistance at once.

Eye contact: Do not rub eye. Any material that contacts the eye should be washed out

immediately with water. If easy to do, remove contact lenses. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms

occur after washing.

Most important symptoms/effects, acute and delayed

**Symptoms:** Symptoms may be delayed.

**Hazards:** No information about adverse effects due to exposure.

Indication of immediate medical attention and special treatment needed

**Treatment:** Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

**General Fire Hazards:** No unusual fire or explosion hazards noted.





Suitable (and unsuitable) extinguishing media

**Suitable extinguishing media:** Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

**Special fire fighting**Use standard firefighting procedures and consider the hazards of other

**procedures:** involved materials.

Special protective equipment

for fire-fighters:

Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus

and full protective clothing must be worn in case of fire.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: If airborne dust and/or fume is present, use adequate engineering controls and, if needed, personal protection to prevent overexposure. Refer to

recommendations in Section 8.

Methods and material for containment and cleaning up:

Absorb spill with vermiculite or other inert material, then place in a container

for chemical waste. Dike far ahead of larger spill for later recovery and

disposal.

**Notification Procedures:** Dike for later disposal. Prevent entry into waterways, sewer, basements or

confined areas. Stop the flow of material, if this is without risk.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so.

# 7. HANDLING AND STORAGE

**Precautions for safe handling:** Do not taste or swallow. Wash hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities:

Store in closed original container in a dry place. Store in accordance with local/regional/national regulations. Store away from incompatible materials.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control Parameters**

Occupational Exposure Limits: US

Chemical Identity	Туре	Exposure Limit Values	Source
Ethylene glycol - Aerosol, inhalable.	STEL	10 mg/m3	US. ACGIH Threshold Limit Values (03 2017)
Ethylene glycol - Vapor fraction	TWA	25 ppm	US. ACGIH Threshold Limit Values (03 2017)
	STEL	50 ppm	US. ACGIH Threshold Limit Values (03 2017)

Occupational Exposure Limits: Canada

Chemical Identity	Туре	Exposure Limit Values	Source
-------------------	------	-----------------------	--------





Ethylene glycol	CEILING		100 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
Ethylene glycol - Vapor.	CEILING	50 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Ethylene glycol - Aerosol.	CEILING		100 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Ethylene glycol - Particulate.	TWA		10 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	STEL		20 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Ethylene glycol - Aerosol.	CEV		100 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
	Ceiling		100 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Ethylene glycol - Vapor and mist	CEILING	50 ppm	127 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Ethylene glycol - Vapor fraction	STEL	50 ppm		Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2017)
Ethylene glycol - Aerosol, inhalable.	STEL		10 mg/m3	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2017)
Ethylene glycol - Vapor fraction	TWA	25 ppm		Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2017)

Occupational Exposure Limits: Mexico

occapational Expectate Ellinte: moxico			
Chemical Identity	Туре	Exposure Limit Values	Source
Ethylene glycol - Aerosol.	VLE-P	100 mg/m3	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control) (04 2014)

Appropriate Engineering Controls

Observe Occupational Exposure Limits and minimize the risk of inhalation.

Individual protection measures, such as personal protective equipment

General information: Use personal protective equipment as required. Personal protection

equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

**Eye/face protection:** Wear goggles/face shield.

**Skin Protection** 

**Hand Protection:** Wear protective gloves. Suitable gloves can be recommended by the glove

supplier.

Other: No data available.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from





local supervisor.

**Hygiene measures:** Do not eat, drink or smoke when using the product. Wash hands after

handling.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** No data available.

Physical state: Liquid Form: Liquid

Color:

Odor:

No data available.

range:

Flash Point: No data available. **Evaporation rate:** No data available. Flammability (solid, gas): No data available. Upper/lower limit on flammability or explosive limits Flammability limit - upper (%): No data available. Flammability limit - lower (%): No data available. **Explosive limit - upper (%):** No data available. **Explosive limit - lower (%):** No data available. Vapor pressure: No data available. Vapor density: No data available.

Relative density: Solubility(ies)

Density:

Solubility in water:

Solubility (other):

Partition coefficient (n
No data available.

No data available.

octanol/water):

Auto-ignition temperature:No data available.Decomposition temperature:No data available.Viscosity:No data available.

#### 10. STABILITY AND REACTIVITY

**Reactivity:** The product is non-reactive under normal conditions of use, storage and

transport.

No data available.

No data available.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

None under normal conditions.

**Conditions to avoid:** Avoid heat or contamination.

Incompatible Materials: Strong acids. Strong oxidizing substances. Strong bases.





**Products:** 

**Hazardous Decomposition** 

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

# 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

**Inhalation:** Inhalation is the primary route of exposure. In high concentrations, dust,

vapors, fumes or mists may irritate nose, throat and mucus membranes.

**Skin Contact:** Moderately irritating to skin with prolonged exposure.

Eye contact: Eye contact is possible and should be avoided.

**Ingestion:** Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation:** No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

**Product:** ATEmix: 909.09 mg/kg

Specified substance(s):

Ethylene glycol LD 50 (Rat): 4,700 mg/kg

Dermal

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Ethylene glycol LD 50 (Rabbit): 9,530 mg/kg

Inhalation

**Product:** Not classified for acute toxicity based on available data.

Repeated dose toxicity

**Product:** No data available.

Skin Corrosion/Irritation

Product: Not classified

Serious Eye Damage/Eye Irritation

**Product:** Not classified

**Respiratory or Skin Sensitization** 

Product: Respiratory Sensitization: Not classified

Skin Sensitization: Not classified

Carcinogenicity

Product: Not classified

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):





No carcinogenic components identified

**Germ Cell Mutagenicity** 

In vitro

Product: Not classified

In vivo

**Product:** Not classified

Reproductive toxicity

Product: Not classified

**Specific Target Organ Toxicity - Single Exposure** 

Product: Not classified

Specific Target Organ Toxicity - Repeated Exposure

**Product:** May cause damage to organs through prolonged or repeated exposure.

**Target Organs** 

Specific Target Organ Toxicity - Repeated Exposure: Kidney

**Aspiration Hazard** 

**Product:** No data available.

#### 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Acute hazards to the aquatic environment:

Fish

Product: Not classified

Specified substance(s):

Ethylene glycol LC 50 (Pimephales promelas, 96 h): 72,860 mg/l

**Aquatic Invertebrates** 

Product: Not classified

Specified substance(s):

Ethylene glycol LC 50 (Water flea (Ceriodaphnia dubia), 48 h): 19,600 - 26,500 mg/l

Chronic hazards to the aquatic environment:

Fish

**Product:** Not classified

**Aquatic Invertebrates** 

Product: Not classified

**Toxicity to Aquatic Plants** 

**Product:** No data available.

Persistence and Degradability

Biodegradation

**Product:** No data available.

Bioaccumulative potential

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

**Mobility in soil:** No data available.





#### 13. DISPOSAL CONSIDERATIONS

**General information:** Dispose of waste and residues in accordance with local authority

requirements.

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local

laws

**Contaminated Packaging:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

# 14. TRANSPORT INFORMATION

DOT

UN Number:

UN Proper Shipping Name: NOT DG REGULATED

Transport Hazard Class(es)

Class: NR
Label(s): –
Packing Group: –
Marine Pollutant: No

**IMDG** 

**UN Number:** 

UN Proper Shipping Name: NOT DG REGULATED

Transport Hazard Class(es)

Class: NR Label(s): –

EmS No.:

Packing Group: –
Marine Pollutant: No

**IATA** 

**UN Number:** 

Proper Shipping Name: NOT DG REGULATED

Transport Hazard Class(es):

Class: NR
Label(s): Packing Group: Marine Pollutant: No
Cargo aircraft only: Allowed.

**TDG** 

**UN Number:** 

UN Proper Shipping Name: NOT DG REGULATED

Transport Hazard Class(es)

Class: NR
Label(s): –
Packing Group: –
Marine Pollutant: No

# 15. REGULATORY INFORMATION

#### **US Federal Regulations**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)





None present or none present in regulated quantities.

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

#### **CERCLA Hazardous Substance List (40 CFR 302.4):**

<u>Chemical Identity</u> <u>Reportable quantity</u>

Ethylene glycol 5000lbs.

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** 

Immediate (Acute) Health Hazards
Delayed (Chronic) Health Hazard
Acute toxicity (any route of exposure)

Specific target organ toxicity (single or repeated exposure)

### **SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

#### **SARA 304 Emergency Release Notification**

Chemical Identity Reportable quantity

Ethylene glycol 5000 lbs.

SARA 311/312 Hazardous Chemical

Chemical Identity Threshold Planning Quantity

Ethylene glycol 10000 lbs

**SARA 313 (TRI Reporting)** 

Chemical Identity Reporting threshold for for other users manufacturing and processing

Ethylene glycol 10000 lbs 25000 lbs.

#### Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

# **US State Regulations**

## **US. California Proposition 65**



#### **WARNING**

Reproductive Harm - www.P65Warnings.ca.gov

#### **US. New Jersey Worker and Community Right-to-Know Act**

# **Chemical Identity**

Ethylene glycol

## **US. Massachusetts RTK - Substance List**

#### **Chemical Identity**

Ethylene glycol

# US. Pennsylvania RTK - Hazardous Substances

#### **Chemical Identity**

Ethylene glycol

Revision Date: 10/04/2018



# **US. Rhode Island RTK**

#### **Chemical Identity**

Ethylene glycol

#### **Canada Federal Regulations**

List of Toxic Substances (CEPA, Schedule 1)

Not Regulated

#### Export Control List (CEPA 1999, Schedule 3)

Not Regulated

#### **National Pollutant Release Inventory (NPRI)**

Canada. National Pollutant Release Inventory (NPRI) Substances, Part 5, VOCs with Additional Reporting Requirements

NPRI PT5 Not Regulated

Canada. National Pollutant Release Inventory (NPRI) (Schedule 1, Parts 1-4)

NPRI Not Regulated

#### **Greenhouse Gases**

Not Regulated

#### **Controlled Drugs and Substances Act**

CA CDSI Not Regulated
CA CDSII Not Regulated
CA CDSIII Not Regulated
CA CDSIV Not Regulated
CA CDSV Not Regulated
CA CDSVII Not Regulated
CA CDSVIII Not Regulated
CA CDSVIII Not Regulated

#### **Precursor Control Regulations**

Not Regulated

#### Mexico. Substances subject to reporting for the pollutant release and transfer registry (PRTR): Not applicable

# **Inventory Status:**

Australia AICS:

Canada DSL Inventory List:

EINECS, ELINCS or NLP:

Japan (ENCS) List:

China Inv. Existing Chemical Substances:

Korea Existing Chemicals Inv. (KECI):

On or in compliance with the inventory

Canada NDSL Inventory:

One or more components are not listed or are exempt from listing.

Philippines PICCS:

US TSCA Inventory:

New Zealand Inventory of Chemicals:

On or in compliance with the inventory
On or in compliance with the inventory

Japan ISHL Listing:

One or more components are not listed or are exempt from listing.

Japan Pharmacopoeia Listing:

One or more components are not listed or are exempt from listing.

Mexico INSQ:
Ontario Inventory:
On or in compliance with the inventory

Revision Date: 10/04/2018



# **16. OTHER INFORMATION**

**Definitions:** 

**Revision Date:** 10/04/2018

**Further Information:** Additional information is available by request.

Disclaimer: The Lincoln Electric Company urges each end user and recipient of this SDS

to study it carefully. See also www.lincolnelectric.com/safety. If necessary, consult an industrial hygienist or other expert to understand this information and safeguard the environment and protect workers from potential hazards associated with the handling or use of this product. This information is believed to be accurate as of the revision date shown above. However, no warranty, expressed or implied, is given. Because the conditions or methods of use are beyond Lincoln Electric's control, we assume no liability resulting from the use of this product. Regulatory requirements are subject to change and may differ between various locations. Compliance with all applicable Federal, State, Provincial, and local laws and regulations remain the

responsibility of the user.

© 2018 Lincoln Global, Inc. All Rights Reserved.